

Notice of Allowability

Application No.

10/784,955

Examiner

Marcus Charles

Applicant(s)

NANKO, YOSHIKI

Art Unit

3682

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment and disclaimer filed 6-20-2005.
2. ☒ The allowed claim(s) is/are 11-21.
3. ☒ The drawings filed on 20 June 2005 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 6-07-05
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

DETAILED ACTION

This action is responsive to the amendment filed 6-20 2005, which has been entered.

Claims 11-21 are currently pending.

Drawings

1. The examiner has accepted replacement drawings filed on 6-20-2005 as formal drawing.

Terminal Disclaimer

2. The terminal disclaimer filed on 6-20-2005 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of copending application no. 09/991,880, has been reviewed and is accepted. The terminal disclaimer has been recorded.

Reasons for Allowance


3. The following is an examiner's statement of reasons for allowance: the prior art fails to anticipated or render obvious the combination of a front derailleur as set forth in claims 11,12 and 20, and in particular, include first and second mounting flanges having different axial widths such that the width of the first flange is at least partially five time thicker the axial width of the second flange and is at least partially aligned with a first link in the direction perpendicular to the first and second pivot axis, and in claims 12 and 20, the first mounting flange extending axially along said second pivot axis away from the mounting portion of the fixed member to form a first link receiving recess between the first mounting flange and the mounting portion of the fixed member such that the first link is at partially disposed in the first link receiving recess.

Art Unit: 3682

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marcus Charles whose telephone number is (571) 272-7101. The examiner can normally be reached on Monday-Thursday 7:30 am to 6:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Bucci can be reached on (571) 272-7099. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.


Marcus Charles
Primary Examiner
Art Unit 3682
July 10, 2005